

Safety Data Sheet

Issuing Date 29/11/2024

Revision Date 20/12/2024

Revision Number 3

Section 1: PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

Product Name: DR JACKSON - ELIXIR 6.1 SHAVING FOAM

EAN: 8422037005711

CPNP: 4887884

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Cosmetic

Uses advised against NOT FOR USE AS A FOOD INGREDIENT

1.3. Details of the supplier of the safety data sheet

Supplier

Egalle Cosmetics

Polígono de Malpica, calle E, parcela 69, 50016, Zaragoza, Aragón (Spain)

E-mail Address: info@egalle.com

Telephone: +34 976 50 55 00

1.4. Emergency telephone number

Emergency telephone Spain: 91 562 04 20

Europe: 112

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the product

Regulation (EC) No 1223/2009

Physical hazards: Aerosol 3 – H229

2.2. Label elements

Signal word: Warning

Hazard statements: H229 Pressurised container: may burst if heated

Precautionary statements: P102 Keep out of reach of children; P210 Keep away from heat, hot surfaces, open flames and other ignition sources. No smoking; P251 Do not pierce or burn, even after use; P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Labelling notes: Cosmetic product, Regulation (EC) No 1272/2008 of the European Parliament and of the Council, Article 1, 5. This regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: (c) cosmetic products as defined in Directive 76/768/EEC.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Product

Chemical Name	EINECS	CAS No.	Weight-%	Classification according to Regulation (EC)No. 1223/2009
AQUA	231-791-2	7732-18-5	Add to 100	
STEARIC ACID	200-313-4	57-11-4	1 - 5	
TRIETHANOLAMINE	203-049-8	102-71-6	1 - 5	III/62
PALMITIC ACID	200-312-9	57-10-3	1 - 5	
BUTANE	203-448-7	106-97-8	1 - 5	
GLYCERIN	200-289-5	56-81-5	1 - 5	
ISOBUTANE	200-857-2	75-28-5	1 - 5	
PROPANE	200-827-9	74-98-6	1 - 5	
PARFUM	-	-	0.5 - 1	
SODIUM LAURYL SULFATE	205-788-1/ - / - /277-362-3/ -	151-21-3/ 68585-47-7 (generic)/ 68955-19-1 (generic)/ 73296-89-6/ 85586-07-8	0.5 - 1	
PROPYLENE GLYCOL	200-338-0	57-55-6	0.5 - 1	
CETEARETH-20	-	68439-49-6	0.1 – 0.5	
PHENOXYETHANOL	204-589-7	122-99-6	0.1 – 0.5	V/29
ETHYLHEXYLGLYCERIN	408-080-2	70445-33-9	0.1 – 0.5	
ALLANTOIN	202-592-8	97-59-6	< 0.1	
ALOE BARBADENSIS LEAF JUICE	287-390-8 / 305-181-2	85507-69-3 / 94349-62-9	< 0.1	
SODIUM BENZOATE	208-534-8	532-32-1	< 0.1	V/1
POTASSIUM SORBATE	246-376-1 / -	24634-61-5 / 590-00-1	< 0.1	V/4
LINALOOL	201-134-4	78-70-6	< 0.1	III/84
LINALYL ACETATE	204-116-4	115-95-7	< 0.1	III/337
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	259-174-3 / 259-175-9 / 268-978-3 / 268-979-9	54464-57-2/ 54464-59-4/ 68155-66-8/ 68155-67-9	< 0.1	III/344

Section 4: FIRST AND MEASURES

Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. If symptoms persist, call a physician. In the case of a several skin irritation or allergic reactions see a physician. For further assistance, contact your local Poison Control Center. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Inhalation	Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing has stopped, contact emergency medical services immediately. Get medical attention for any breathing difficulty.
Skin contact	If a several skin irritation persists, call a physician. Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water for at least 15 minutes. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash off immediately with soap and plenty of water for at least 15 minutes while removing all contaminated clothing and shoes.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Ingestion	Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Consult a physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Seek immediate medical attention.

4.1. Most important symptoms and effects, both acute and delayed

Symptoms	Skin allergy-like symptoms. In contact with eyes can cause itching
-----------------	---

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide. Foam. Dry chemical

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the product

Pressurised container: may burst if heated. Do not pierce or burn, even after use.

Thermal decomposition or combustion products may include the following substances: harmful gases or vapours.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid breathing fire gases or vapours. Use personal protective equipment. High risk of slipping due to spilled or spilled product.

6.2. Environmental precautions

Do not let it enter the sewer or contaminate the water.

Prevent it from entering sewers / surface water / groundwater

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Take up mechanically.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

No special measures are required.

Hygiene Measures

Do not eat, drink or smoke when using this product. Provide regular cleaning of equipment, work area and clothing. Handle in accordance with good industrial hygiene and safety practice. Contaminated work clothing should not be allowed out of the workplace. For environmental protection, remove and wash all contaminated protective equipment before re-use. Avoid contact with eyes, skin and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Keep the product tightly closed in a dry and well-ventilated place. Keep away from direct sunlight. Does not store many bottles on top of each other

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Butane	
Long-term exposure limit (8 hour TWA)	WEL 600ppm, 1450 mg/m ³
Short-term exposure limit (15 minute)	WEL 750ppm, 1810 mg/m ³
Propane	
Long-term exposure limit (8 hour TWA)	1000ppm, 1800 mg/m ³
Short-term exposure limit (15 minute)	2.8 mg/m ³
Isobutane	
Long-term exposure limit (8 hour TWA)	600ppm
Short-term exposure limit (15 minute)	750ppm
1,2 – Propylene Glycol	
Long-term exposure limit (8 hour TWA)	WEL 10 mg/m ³ particulate
Short-term exposure limit (15 minute)	WEL 150ppm, 474 mg/m ³ total vapour and particulates

WEL=Workplace Exposure Limit

8.2. Exposure controls

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Provide showers, eyewash stations, and ventilation systems.
Personal Protective Equipment	
Eye/Face Protection	Tightly fitting safety goggles.
Hand protection	Impervious gloves. Neoprene gloves. Butyl, Nitrile, or Viton gloves are recommended.
Skin and Body Protection	Wear personal protective equipment as required.
Respiratory Protection	Use only with adequate ventilation.
Environmental exposure controls	Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. Store in a secure building.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Aerosol
Color	Colourless
Odor	Characteristic

Property

pH	Values 8.5 – 9.1
Melting point / freezing point	Not Determined
Boiling point / boiling range	Not Determined
Flash Point	Not Determined
Evaporation Rate	Not Determined
Flammability (solid, gas)	Not Determined
Flammability Limit in Air	
Upper flammability limit	
Lower Flammability Limit	
Vapor pressure	Not Determined
Vapor Density	Not Determined
Specific Gravity	Not Determined
Water Solubility	Not Determined
Solubility in other solvents	Not Determined
Autoignition Temperature	Not Determined
Decomposition temperature	Not Determined
Viscosity	Not Determined

Section 10: STABILITY AND REACTIVITY

10.1. Chemical stability

Stable under normal conditions.

10.2. Possibility of hazardous reactions

Hazardous Polymerization

None under normal processing.

Hazardous Reactions

None under normal processing.

10.3. Conditions to avoid

Extremes of temperature and direct sunlight

10.4. Incompatible materials

NA

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.

Unknown Acute Toxicity

Skin corrosion/irritation No irritation.

Serious eye damage/eye irritation No irritation.

Sensitization No sensitization

Mutagenic Effects No mutagenic

Reproductive Toxicity No data available.

STOT - single exposure No data available.

STOT - repeated exposure No data available.

Aspiration hazard No data available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Isobutane	
Acute toxicity – fish	LC50 96 hour: 24.11mg/l
Acute toxicity – aquatic invertebrates	EC50 48 hour: 14.22 mg/l, Daphnia magna (water flea)
Acute toxicity – aquatic plants	EC50 72 hour: 7.71 mg/l, Algae

12.2. Persistence and degradability

Butane (Persistence and degradability): the substance is readily biodegradable. Based on the test results of similar products.

12.3. Bioaccumulative potential

Butane: log Pow: 2.

Propane: logPow: 2.89

12.4. Mobility in soil

The product is water-soluble and may spread in water systems. The product is non-volatile.

12.5. Results of PBT and vPvB assessment

NA

12.6. Other adverse effects

NA


Section 13: TRANSPORT INFORMATION

UN No (ADR/RID) UN No (IMDG)	1950
UN No (ICAO)	1950
UN No (ADN)	1950

UN proper shipping name

Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS

Transport hazard class(es)

ADR/RID class	2.2
ADR/RID classification code	5A, 5O
ADR/RID label	2.2
IMDG class	2.2
ICAO class/division	2.2
ADN class	2.2
Transport labels	

Special precautions for user:

EmS	F-D, S-U
ADR transport category	3
Tunnel restriction code	(E)
Limited quantities (ADR)	1 L

Section 14: OTHER INFORMATION

According to the EEC directives/Regulations 1223/2009 of cosmetic products, the product is not precisely labelled.

Regulatory provisions related to the dissemination of this MSDS: In accordance with the regulatory provisions, the information contained in the safety data sheet must be transmitted to the occupational doctor if any unexpected event occurs.

In the case of this product, it is not mandatory to provide a safety data sheet for the consumer. In addition, the published data is for informational purposes only.